
archiluce




DOT ATOMIUM

The Dot Collection combines the directness of exposed, spherical bulbs with the rich materiality of brass. Focused, geometric compositions contain these two features, balancing line, surface, and luminous points. The result is a collection of lamps based in the reflectivity of brass—lamps that are both atmospheric and firm.

type:	pendant
construction:	brass body and hardware milk glass globes
specifications:	source: LED lamp provided (G9 base) power consumption: 12 x 3.5W lumen output: 3606lm colour temperature: 2700K included * 3000K available upon request colour rendering index: 80 CRI standard * ≥ 90 CRI upon request expected lifetime: ≥ 25 000h
control:	refer to our recommended list of dimmer models
total height:	24.5" 62cm | 30.5" 77 cm | 36.5" 93 cm | 42.5" 108 cm | 54.5" 138 cm
weight:	min. 5.5 lb / 2.5 kg
certifications:	IP20
warranty:	2 years





G50 ∅ ±2" / 5 cm


*dimensions are approximate and may vary slightly

lambert&fils

ORDER GUIDE: SKU

COLLECTION	MODEL	FINISH	HEIGHT
DOT dot	**01**	**BR** brass	**A** 24.5" / 62 cm
		GR graphite	**B** 30.5" / 77 cm
			C 36.5" / 93 cm
			D 42.5" / 108 cm
			E 54.5" / 138 cm
			V variable
DOT	**01**	**BR**	**A** = **DOT01BRA**

example




FINISH



brass graphite

CANOPY
swivel option for slanted ceiling



NOTES:

– must be installed by an electrician
– not protected against liquids (refer to IP20)
– additional charges for modifications or for special orders
– please refer to maintenance sheet on website for cleaning instructions

lambert&fils

DIMMER SPECIFICATIONS

DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.


DIMMER BRAND	MODEL NUMBER	MIN LEVEL	MAX LEVEL	FLICKERING	OVERALL QUOTE
LUTRON - MAESTRO	MAELV-600	0%	100%	0%-10%	good
LUTRON - SKYLARK	SELV-300P	0%	100%	no	very good
LUTRON - SKYLARK	SELV-303P	0%	100%	no	very good
LUTRON - SKYLARK	CTELV-303P	0%	100%	no	very good
LUTRON - DIVA	DVELV-300P	0%	100%	no	very good
LEGRAND - ADORNE	TRUE UNIVERSAL	30%	100%	no	good

DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 230V

DIMMER BRAND	MODEL NUMBER	MIN LEVEL	MAX LEVEL	FLICKERING	OVERALL QUOTE
VARILIGHT	V-PRO	2%	100%	no	very good
LEGRAND - NILOÉ	3 996 35	15%	87%	no	good
NIKO	310-0280X	5%	94%	no	very good
NIKO	310-0190X	1%	100%	no	very good

*Other dimmers can yield good results and we recommend conducting your own test before final installation.

EU ENERGY LABEL



Updated: April 2020