# Domes - Rhythm

U.S. Patents Pending.

| | | | | |
|---|---|---|---|---|
| Dome Sizes | 8” | 2 lbs / 1 kg | 12W | Up to 800 lumens |
| | 10” | 4 lbs / 2 kg | 18W | Up to 1200 lumens |
| | 12” | 5 lbs / 2 kg | 30W | Up to 2100 lumens |
| | 14” | 8 lbs / 4 kg | 35W | Up to 2400 lumens |
| | 18” | 14 lbs / 6 kg | 42W | Up to 2900 lumens |
| | 22” | Not available | | |

**Standard Light**

120V or 230V G8 LED Bulbs by Emery Allen. Bulbs are included.
Color accuracy 90+ CRI.
Choose from 2700K or 3000K light temperature.
Compatible with most standard LED dimmers (ELV forward/reverse phase).
**POWER:** 120V or 230V. No transformer required.

**Finishes**

See Porcelain & Metal Finishes.

**Light Output**

See Dome Light Output guide. Darker porcelain finishes diminish light output. Colored gloss porcelain finishes cast colored light. Sculptures may be specified with satin nickel reflector inside the dome to increase light output and restore light to standard color. See Dome Reflector guide.

**Production**

Handmade in Boulder, Colorado.
10-12 week lead time. Rush by request.

**UL Listing**

Available by request.

## LIGHT CUSTOMIZATIONS

**Dim-To-Warm Light**

12V GY6.35 Bulbs by Emery Allen.
Color accuracy 90+ CRI.
1800K-2700K CCT light temperature. See details.
Light output reduced by up to 35%.
**POWER:** 12V LED transformer required.
Choose from:

- Emery Allen Integrated Driver (installed in j-box)
- Remote Driver (installed in attic, basement, or closet)

See Domes LED Drivers & Dimmers for driver details.

**Premium Light**

24V LED Strip by ElementalLED or QTL.
Color accuracy 95+ CRI.
Light output is equivalent to Standard Light.
50K+ hour lifetime (17+ years at 8 hr/day).
Choose from light temperatures 2400K to 5000K.
Inquire for premium Dim-To-Warm options (reduced output)
LEDs are electrician replaceable at end of life.
**POWER:** 24V LED transformer required.
Choose from:

- SwitchEX+ Driver/Dimmer Wall Unit
- Remote Driver (installed in attic, basement, closet)

See Domes LED Drivers & Dimmers for driver details

**Custom Light**

You may optionally specify your own LED strip and driver.

# Domes - Rhythm - Mounting

U.S. Patents Pending.

## STANDARD

### Two Canopies

One Junction Box



The distance between canopies may not be customizable for all sculptures. Please contact us to provide a drawing before placing an order with a custom distance between canopies.

## CANOPY CUSTOMIZATIONS

### Multi-Pendant Canopy

One Junction Box



### Other Canopies

Custom canopies including recessed and mud-in available by request.
See Canopy Options.


# Rhythm 5 - Linear - 5x14 - 85"L


**AS SHOWN ON WEBSITE**

Minimum Overall Drop Height : 11”



You may specify the number of domes, dome sizes, length, and overall drop height. Each sculpture is designed to specification.




www.tedbradleystudio.com